

Reference Formula

Mascara

EP-CC-M-0005A_V1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight
А	Sunsolv™ BOS	Butyloctyl Salicylate	5.00%
	Amphisol K (DSM) Beeswax Blend 164 (Paramelt)	Potassium Cetyl Phosphate Paraffin, Glyceryl	3.50%
	Decisivax Diena To+ (Farameny	palmitate/stearate, Cera alba, Stearic acid	3.00%
	Paracera ™ C 44 (Paramelt)	Paraffin, Copernicia Cerifera Cera, Paraffin synthetic	3.50%
	FATTY ALCOHOL 1618-01 (Erca Wilmar)	Cetyl Stearyl Alcohol	3.00%
	P.P	Propyl Paraben	0.10%
B1	CELLOSIZE™ Polymer PCG-10 (Dow Chemical)	Hydroxyethyl cellulose	0.30%
	Solagum AX	Acacia Senegal Gum & Xanthan Gum	0.20%
	Glycerin	Glycerin	3.00%
B2	D.I Water	D.I Water	53.25%
	AQ 55S Polymer(Eastman)	Polyester-5	7.00%
	M.P	Methyl Paraben	0.15%
B3	Iron Oxide(Black) FA 4002 ID Silicone Acrylate (Dow	Iron Oxide Isododecane (and)	8.00%
С	Chemical)	Acrylates/Polytrimethylsiloxymet hacrylate Copolymer	5.00%
	IDD	Isododecane	5.00%

PROCEDURE

- 1. First dissolve the A phase by heating.
- 2. Premix B1, add B2 heat to dissolve, add B3 homogeneous dispersion
- 3. Prepare Phase A and Phase B separately heat to 85-90°C.
- 4. Add A phase to B phase, homogeneous emulsification
- 5. Add C Phase under stirring while the temperature below to 50° C.
- 6. Continue stirring to 40° C

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C. TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278





Reference Formula

Created Date : 07/18/2018 4:32:00 PM Last Save Date : 07/31/2019 4:53:00 PM

The information given in this publication is based on our current knowledge and experience and maybe used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations and observe all third party rights.

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C. TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278 Website : www.essence-plus.com E-MAIL : service@essence-plus.com



Page 2 of 2