



Reference Formula

Created Date: 2019/11/25.
Last Save Date: 6/15/20 2:52 PM

卸妝膠

EP-SC-CL-0075A_V1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	Function
W	D.I Water	D.I Water	69.70%	
	Aculyn 88¹	Acrylates/Steareth-20 Methacrylate Crosspolymer	3.40%	Thickener
	Aculyn 38¹	Acrylates/Vinyl Neodecanoate Crosspolymer	5.40%	Thickener
	ERCAREL CC V¹⁴	PEG-6 Caprylic/Capric Glycerides	8.00%	Emollient
	Olivem 300	Olive Oil PEG-7 Esters	4.00%	Emollient
	CARBITOL™ Solvent JSQI¹	Ethoxydiglycol	8.00%	Solubilizer
A	TEA	Triethanolamine	1.50%	Neutralizer
	Preservative	Preservative	q.s	Preservative
	食用紅色色素 6 號		q.s	Pigment

Suppliers: 1. Dow Chemical; 14. ErcaWilmar

PROCEDURE

1. Prepare Phase W under stirring.
2. Add Phase A into W under stirring and make sure it's uniform.

SPECIFICATION

APPEARANCE	: Transparent Pink Gel		
VISCOSITY	: approx. 6,933 (52.0%) ± 10%	(RVDV-E, RV5, 30rpm, 3 min, 25°C)	
pH	: approx. 7.71 ± 0.5	(25°C)	

The information given in this publication is based on our current knowledge and experience and maybe used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations and observe all third party rights.

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

